

## Main Specifications

## ▼ Size

2" , 2.5"

## ▼ Installation type

Back mount with flange  
(FTFF-M)Wall mount with flange  
(FTWF-M)Back mount with U-clamp  
(FTFU-M)

## ▼ Temperature range

-5~100°C

Other temperature range  
available upon request

## ▼ Stem

Length: 36mmL

Outer diameter: 6mmΦ

Material: copper alloy

Other stem length available  
upon request

## ▼ Capillary

Length: 1m (standard)

Material:

Nickel-plated copper /

Tin-plated copper

Covered with white plastic  
leather protectionOther capillary length available  
upon request

## Other Specifications

## ▼ Case

SS 304

## ▼ Window

PC

## ▼ Liquid-in-capillary

Kerosene or other fluid  
(Gas-filling for food or  
pharmaceuticals)

## ▼ Dial face

Aluminum dial and black scale  
With adjustable screw

## ▼ Accuracy

±4%

Higher accuracy available  
upon request

## Small Remote Reading Thermometer


### Model: FT-M

### Introduction


FT-M Small remote reading thermometer applicable to measure temperature of dry machine, food, refrigeration and air conditioning, and environmental oil-water separation equipment.



FTFU-M



FTFF-M (Front)



FTFF-M (Side)



Due to the variety of customization, the picture is only for reference, please confirm the actual item with our sales. (If there is any change on specification, please take the latest version as standard.)

### Features

- OEM service
- Small type remote reading thermometer
- Easy installation and affordable price
- Stem & capillary's outer diameter and length can be customized
- Media-expansion thermometer, fast response to ambient temperature

## How to Order

Small Remote Reading Thermometer FT-M Series										
Std.	Spec.	Code	Item	Code	Item	Code	Item	Code	Item	
FTFF-M	Installation type	FTFF-M	Back mount with flange	FTFU-M	Back mount with U-clamp	FTWF-M	Wall mount with flange	-	-	
02	Size	02	2"	025	2.5"	-	-	-	-	
Custom	Temp. range	-5~100°C								
36mm	Stem length	36mm	36mm	O	Others	-	-	-	-	
1mm	Capillary length	1mm	1mm	O	Others	-	-	-	-	
C	Accuracy	C	±4%	O	Others					
/D	Other demands	/A	Third party notarized documents			/B	Inspection report			
		/C	Tag			/D	Customized dial (Scale, color, unit, etc.)			

Order example: FTFF-M - 02 - (-5 ~ 100°C) - 36mm - 1mm - C + /D